Fig. 1

Field Name	Length	Type V=Char	Definition
	4	N=Number	
EXID	8	V	101
IMSI	9	N	102
TECH	8	V	103
SDATE	14	V	104
EDATE	14	V	105
DURAT	9	N	106
ANSW	1	N	107
ASUB	32	V	108
BSUB	32	V	109
CSUB	32	V	110
VOLUME	9	N	111
COUNTRY	5	V	112
OPERAT	5	V	113
PRICE	9	N	114
CHARGE	9	N	115
LF	1	N	116




Fig. 2




Fig. 3




Fig. 4

	Parameter file 402) 406) 408)	402) 406) 408)				
	Serv. ID	Valid from	Valid until	Field	Operand Ref. Va	alue
_	A1	01.01.2002	31,12,2010	ASUB	= 123	
_	A1	01.01.2002	31.12.2010	ASUB	= 124	
_	A1	01.01.2002	31,12,2010	BSUB	= 222	
	B1	01.01.2002	31,12,2010	ASUB	= 456	_
	Valid set table					
	Valid set table	}				
	Serv. ID	Frequency	Accuracy		,	
	Serv. ID 403) 409) A1		Accuracy 404) 409) 2			
	Serv. ID		, ,			
	Serv. ID 403) 409) A1		, ,			

Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11

